

Invacare Top End T-5 Tennis Elite - UK Price List and Order Form

For accuracy of ordering, please fax order to Invacare Customer Service on 01656 776220 or e-mail to: ordersuk@invacare.com

www.topendwheelchair.co.uk



Account name: _____ Account number: _____
 PO number: _____
 Phone number: _____ Fax number: _____
 Address: _____

Customer name: _____ Phone number: _____
 Address: _____

Ship to: Provider Customer (Order will be shipped to provider unless otherwise noted)

DATE:

QUOTE

ORDER

Manual Sport Wheelchair
 January 2012

Please indicate your choice with a cross in this square

Indicate that this option has no upcharge

Item	Description	Comments and/or non compatibilities information	Price
<input type="checkbox"/> T57	Top End T-5 7000 Series Tennis wheelchair	Aluminium wheelchair	£2,499
<input type="checkbox"/> TER61	Heavy duty option	Weight limit 350 lbs - approx. 159 kg	£340
<input type="checkbox"/> RACE101	CAD drawings	Specify e-mail: _____ @ _____	POA
SEATING OPTIONS			
Seat width			
<input type="checkbox"/>	Seat width 12" (approx. 305 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 12.5" (approx. 318 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 13" (approx. 330 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 13.5" (approx. 343 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 14" (approx. 356 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 14.5" (approx. 368 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 15" (approx. 381 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 15.5" (approx. 394 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 16" (approx. 406 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 16.5" (approx. 419 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 17" (approx. 432 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 17.5" (approx. 445 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 18" (approx. 457 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 18.5" (approx. 470 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 19" (approx. 483 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 19.5" (approx. 495 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 20" (approx. 508 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 20.5" (approx. 521 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat width 21" (approx. 533 mm)		<input type="radio"/>
<input type="checkbox"/> TER1	Tapered seat width Rear seat width: _____ Front seat width: _____	Maximum difference = 4"	<input type="radio"/>
Seat depth (upholstery)			
<input type="checkbox"/>	Seat depth 12" (approx. 305 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 13" (approx. 330 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 14" (approx. 356 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 15" (approx. 381 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 16" (approx. 406 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 17" (approx. 432 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 18" (approx. 457 mm)		<input type="radio"/>
<input type="checkbox"/>	Seat depth 19" (approx. 483 mm)		<input type="radio"/>
Extra frame depth			
<input type="checkbox"/>	Standard	0" (approx. 0 mm)	<input type="radio"/>
<input type="checkbox"/>		1" (approx. 25 mm)	<input type="radio"/>
<input type="checkbox"/>		1 1/2" (approx. 38 mm)	<input type="radio"/>
<input type="checkbox"/>		2" (approx. 51 mm)	<input type="radio"/>
FOOTREST OPTIONS			
<input type="checkbox"/>	Standard	Tubular footrest	Height adjustable
Footrest width: _____		Standard = Seat width minus 6"	
Footrest height (top to floor): _____		Range: 1" - 5.5"	
Front frame angle			
<input type="checkbox"/>	<input type="checkbox"/>	80°	<input type="radio"/>
<input type="checkbox"/>	<input type="checkbox"/>	85° (standard)	
<input type="checkbox"/>	<input type="checkbox"/>	90°	
<input type="checkbox"/>	<input type="checkbox"/>	95°	
<input type="checkbox"/> TER10	Plastic footrest cover		£50

<input type="checkbox"/>	TER89	Carbon fibre footrest cover		£84
<input type="checkbox"/>	TER124	Click strap upgrade		£56
<input type="checkbox"/>	TER86	Adjustable angle footplate	Height and angle adjustable	£84
Footrest width:			Standard = Seat width minus 6"	
Footrest height (top to floor): _____			Range: 1" - 5.5"	
<input type="checkbox"/>	With risers 2" (approx. 51 mm)			
<input type="checkbox"/>	With risers 4" (approx. 102 mm)			
Front frame angle				○
<input type="checkbox"/>	80°			
<input type="checkbox"/>	85° (standard)			
<input type="checkbox"/>	90°			
<input type="checkbox"/>	95°			
<input type="checkbox"/>	TER124	Click strap upgrade		£56
<input type="checkbox"/>	TER127	Toe clips		£43
<input type="checkbox"/>	TER187	Platform footrest	Height, angle and forward/rearward adjustable	£102
Platform Footrest Plate Style				
<input type="checkbox"/>	Platform plate			
<input type="checkbox"/>	Oval plate			
<input type="checkbox"/>	TER124	Click strap upgrade		£56
SEAT HEIGHTS OPTIONS				
Seat height front				
<input type="checkbox"/>		Seat height front 14.5" (approx. 368 mm)		○
<input type="checkbox"/>		Seat height front 15" (approx. 381 mm)		○
<input type="checkbox"/>		Seat height front 15.5" (approx. 394 mm)		○
<input type="checkbox"/>		Seat height front 16" (approx. 406 mm)		○
<input type="checkbox"/>		Seat height front 16.5" (approx. 419 mm)		○
<input type="checkbox"/>		Seat height front 17" (approx. 432 mm)		○
<input type="checkbox"/>		Seat height front 17.5" (approx. 445 mm)		○
<input type="checkbox"/>		Seat height front 18" (approx. 457 mm)		○
<input type="checkbox"/>		Seat height front 18.5" (approx. 470 mm)		○
<input type="checkbox"/>		Seat height front 19" (approx. 483 mm)		○
<input type="checkbox"/>		Seat height front 19.5" (approx. 495 mm)		○
<input type="checkbox"/>		Seat height front 20" (approx. 508 mm)		○
<input type="checkbox"/>		Seat height front 20.5" (approx. 521 mm)		○
<input type="checkbox"/>		Seat height front 21" (approx. 533 mm)		○
Seat height rear				
<input type="checkbox"/>		Seat height rear 14.5" (approx. 368 mm)		○
<input type="checkbox"/>		Seat height rear 15" (approx. 381 mm)		○
<input type="checkbox"/>		Seat height rear 15.5" (approx. 394 mm)		○
<input type="checkbox"/>		Seat height rear 16" (approx. 406 mm)		○
<input type="checkbox"/>		Seat height rear 16.5" (approx. 419 mm)		○
<input type="checkbox"/>		Seat height rear 17" (approx. 432 mm)		○
<input type="checkbox"/>		Seat height rear 17.5" (approx. 445 mm)		○
<input type="checkbox"/>		Seat height rear 18" (approx. 457 mm)		○
<input type="checkbox"/>		Seat height rear 18.5" (approx. 470 mm)		○
<input type="checkbox"/>		Seat height rear 19" (approx. 483 mm)		○
<input type="checkbox"/>		Seat height rear 19.5" (approx. 495 mm)		○
<input type="checkbox"/>		Seat height rear 20" (approx. 508 mm)		○
<input type="checkbox"/>		Seat height rear 20.5" (approx. 521 mm)		○
<input type="checkbox"/>		Seat height rear 21" (approx. 533 mm)		○
<input type="checkbox"/>	TER31	Solid seat with welded rigidizer bars		£142
AXLE POSITION "CENTRE OF GRAVITY"				
<input type="checkbox"/>	Fixed centre of gravity		Available with all side guards options	
<input type="checkbox"/>	3" (approx. 76 mm)			
<input type="checkbox"/>	3.5" (approx. 89 mm)			
<input type="checkbox"/>	4" (approx. 102 mm)			
<input type="checkbox"/>	4.5" (approx. 114 mm)			○
<input type="checkbox"/>	5" (approx. 127 mm)			
<input type="checkbox"/>	5.5" (approx. 140 mm)			
<input type="checkbox"/>	6" (approx. 152 mm)			
<input type="checkbox"/>	Other: _____			
<input type="checkbox"/>	Adjustable centre of gravity range		Backrest made of 6061 aluminium and bolt to the frame	
<input type="checkbox"/>	2" to 4" (approx. 51 to 102 mm)		NC with side guards TER20, TER83, TER130	○
<input type="checkbox"/>	3" to 5" (approx. 76 to 127 mm) - Standard		NC with side guards TER20, TER83, TER130	
<input type="checkbox"/>	4" to 6" (approx. 102 to 152 mm)		NC with side guards TER20, TER83, TER130	

WHEEL BASE			
<input type="checkbox"/>		15" (approx. 381 mm)	<input type="radio"/>
<input type="checkbox"/>		16" (approx. 406 mm)	<input type="radio"/>
<input type="checkbox"/>		17" (approx. 432 mm)	<input type="radio"/>
<input type="checkbox"/>		18" (approx. 457 mm)	<input type="radio"/>
<input type="checkbox"/>		19" (approx. 483 mm)	<input type="radio"/>
<input type="checkbox"/>		Other: _____	<input type="radio"/>
ANTI-TIP WHEEL			
<input type="checkbox"/>		Fixed	<input type="radio"/>
<input type="checkbox"/>		Omit	<input type="radio"/>
<input type="checkbox"/>	TER102	Telescoping	£128
CAMBER			
<input type="checkbox"/>		Camber 12" (approx. 305 mm)	No other camber available <input type="radio"/>
<input type="checkbox"/>		Camber 15" (approx. 381 mm)	No other camber available <input type="radio"/>
<input type="checkbox"/>		Camber 18" (approx. 457 mm)	No other camber available <input type="radio"/>
<input type="checkbox"/>		Camber 20" (approx. 508 mm)	No other camber available <input type="radio"/>
TYRE-TO-TYRE DISTANCE			
<input type="checkbox"/>	Standard	i.e. seat width + 2,5 = _____	<input type="radio"/>
<input type="checkbox"/>		Custom: _____	<input type="radio"/>
REAR WHEELS (see chart on last page)			
Rear wheels size			
<input type="checkbox"/>		24" (540)	<input type="radio"/>
<input type="checkbox"/>	Standard	25" (559)	<input type="radio"/>
<input type="checkbox"/>		26" (590)	<input type="radio"/>
<input type="checkbox"/>		700C	<input type="radio"/>
Rear wheels type			
<input type="checkbox"/>		Sun® High Performance	Delivered with high pressure Primo tyres <input type="radio"/>
<input type="checkbox"/>	TER131	Spinergy® SLX	24 spokes with 4 mm diameter £346
<input type="checkbox"/>	TER67	Spinergy® Spox	24 spokes with 3 mm diameter £328
<input type="checkbox"/>	TER143	Sun® Equalizer Sport	24" wheels: 36 spokes and 6 tabs pushrims 25/26"/700C : 48 spokes, cross lacing pattern with 12 tab £112
Spoke colour (only for Spinergy® wheels)			
<input type="checkbox"/>		Black	<input type="radio"/>
<input type="checkbox"/>		Yellow	<input type="radio"/>
<input type="checkbox"/>		White	<input type="radio"/>
<input type="checkbox"/>		Red	<input type="radio"/>
<input type="checkbox"/>		Blue	<input type="radio"/>
Tyres			
<input type="checkbox"/>	TER101	Kenda® tyres red	£50
<input type="checkbox"/>	TER101	Kenda® tyres yellow	£50
<input type="checkbox"/>	Standard	High pressure Primo tyres	<input type="radio"/>
<input type="checkbox"/>	TER76	Titanium axles	£102
Pushrims options			
Type of pushrims			
<input type="checkbox"/>	Standard	Hard anodized aluminium pushrims	<input type="radio"/>
<input type="checkbox"/>	TER75	Titanium pushrims	NC 700C £260
<input type="checkbox"/>	TER08	Coated pushrims	£71
Mounting position			
<input type="checkbox"/>	Standard	Standard mount	<input type="radio"/>
<input type="checkbox"/>		Close mount	<input type="radio"/>
Pushrims options			
<input type="checkbox"/>	TER40	Cut tabs aluminium pushrims	Only for close mount pushrims mounting position £24
<input type="checkbox"/>	TER140	Cut tabs titanium pushrims	Only for close mount pushrims mounting position £50
BACKREST			
<input type="checkbox"/>	Fixed height	Available with all side guards options <input type="radio"/>	
<input type="checkbox"/>		8" (approx. 203 mm)	
<input type="checkbox"/>		8.5" (approx. 216 mm)	
<input type="checkbox"/>		9" (approx. 229 mm)	
<input type="checkbox"/>		9.5" (approx. 241 mm)	
<input type="checkbox"/>		10" (approx. 254 mm)	
<input type="checkbox"/>		10.5" (approx. 267 mm)	
<input type="checkbox"/>		11" (approx. 279 mm)	
<input type="checkbox"/>		10.5" (approx. 267 mm)	
<input type="checkbox"/>		11" (approx. 279 mm)	
<input type="checkbox"/>		11.5" (approx. 292 mm)	
<input type="checkbox"/>		12" (approx. 305 mm)	
<input type="checkbox"/>		12.5" (approx. 318 mm)	
<input type="checkbox"/>		13" (approx. 330 mm)	
<input type="checkbox"/>		13.5" (approx. 343 mm)	

<input type="checkbox"/>	14" (approx. 356 mm)			
<input type="checkbox"/>	14.5" (approx. 368 mm)			
<input type="checkbox"/>	15" (approx. 381 mm)			○
<input type="checkbox"/>	15.5" (approx. 398 mm)			
<input type="checkbox"/>	Adjustable height range			
<input type="checkbox"/>	Short: 9" to 11" (approx. 229 to 279 mm)			○
<input type="checkbox"/>	Low: 11" to 14" (approx. 279 to 356 mm)			
<input type="checkbox"/>	Med: 14" to 18" (approx. 356 to 457 mm)			
SIDE GUARDS				
<input type="checkbox"/>	Standard	Without		○
<input type="checkbox"/>	TER95	Clamp-on fixed aluminium side guards		£84
<input type="checkbox"/>	TER20	Fixed aluminium side guards	Incompatible with adjustable centre of gravity	
<input type="checkbox"/>	Even with wheels		Incompatible with adjustable centre of gravity	£120
<input type="checkbox"/>	1" above wheels		Incompatible with adjustable centre of gravity	
<input type="checkbox"/>	Height above seat: _____		Incompatible with adjustable centre of gravity	
<input type="checkbox"/>	TER83	Fixed carbon fibre side guards	Incompatible with adjustable centre of gravity and tapered seat	
<input type="checkbox"/>	Even with wheels		Incompatible with adjustable centre of gravity and tapered seat	£170
<input type="checkbox"/>	1" above wheels		Incompatible with adjustable centre of gravity and tapered seat	
<input type="checkbox"/>	Height above seat: _____		Incompatible with adjustable centre of gravity and tapered seat	
<input type="checkbox"/>	TER130	Welded alu tube sideguards with weld. alu panel	Std distance, inside-to-inside between welded tubes=seat width	
<input type="checkbox"/>	Even with wheels		Incompatible with adjustable centre of gravity	£187
<input type="checkbox"/>	1" above wheels		Incompatible with adjustable centre of gravity	
<input type="checkbox"/>	Height above seat: _____		Incompatible with adjustable centre of gravity	
SAFETY AND COMFORT OPTIONS				
<input type="checkbox"/>	TER14	Cushion, soft, 2" (approx. 508 mm)		£50
<input type="checkbox"/>	TER14	Cushion, soft, 3" (approx. 762 mm)		£50
<input type="checkbox"/>	TER37	Frame protector - front		£25
<input type="checkbox"/>	TER35	Frame protector - rear		£20
<input type="checkbox"/>	XLT33	Alignment gauge		£50
<input type="checkbox"/>	TER126	Click-strap large	Pad length approx. 12" (305 mm)	£58
<input type="checkbox"/>	TER125	Click-strap medium	Pad length approx. 10" (254 mm)	£54
<input type="checkbox"/>	TER124	Click-strap small	Pad length approx. 8" (203 mm)	£51
<input type="checkbox"/>	TER128	D-Ring positioning belt		£73
<input type="checkbox"/>	RACE22	Top End T-Shirt Size L		£9
<input type="checkbox"/>	RACE22	Top End T-Shirt Size XL		£9
UPHOLSTERY COLOUR				
<input type="checkbox"/>	Standard	Black		○
<input type="checkbox"/>	UPHI1	Woodland Camouflage		£67
<input type="checkbox"/>	UPHI2	Digital Desert Camouflage		£88
FRAME COLOUR				
Contemporary colours				
<input type="checkbox"/>		Wet black		○
<input type="checkbox"/>		Black prism		○
<input type="checkbox"/>		White snow		○
<input type="checkbox"/>		Silver metallic		○
<input type="checkbox"/>		Stealth black		○
Way cool colours				
<input type="checkbox"/>		Royal blue		○
<input type="checkbox"/>		Midnight blue		○
<input type="checkbox"/>		Grasshopper green		○
Too hot colours				
<input type="checkbox"/>		Tangerine red		○
<input type="checkbox"/>		Raspberry red		○
<input type="checkbox"/>		Grape madness		○
<input type="checkbox"/>		Safety yellow		○
<input type="checkbox"/>		Sunkissed orange		○
<input type="checkbox"/>		Bubblegum pink		○
No paint option				
<input type="checkbox"/>		Buffed aluminium (raw)		○

